



Healthier Eating: African, Caribbean and South Asian cuisines

A guide for Healthier You NHS Diabetes
Prevention Programme coaches

About the Authors

Salma Mehar BSc (Hons) PG Cert RD

Diabetes Specialist Dietitian

Salma has been in community diabetes care for over 15 years. She is currently working with the Diabetes Transformation Programme, developing educational resources for black, Asian and minority ethnic populations to improve health literacy and outcomes across the globe. Salma has been featured in many South Asian radio and newspaper interviews, spreading vital health messages to a diverse audience.

Dr Joan St John MBChb MRCGP MSc

GP with Special Interest in Diabetes

Joan was one of the first Diabetes UK Clinical Champions and has always maintained an interest in health conditions that disproportionately affect black, Asian and minority ethnic communities. Her driving force is promoting education and knowledge to empower individuals about health and wellbeing. She has worked with the Sickle Cell Society, Culture Dementia and the Alzheimer's Society.



Salma and Joan were commissioned to deliver this project for the NHS Diabetes Programme team at NHS England.

Developed in partnership with

Carbs & Cals

Visit www.carbsandcals.com to see their award-winning resources for diabetes and weight management.

Chris Cheyette BSc (Hons) MSc RD

Diabetes Specialist Dietitian

Chris has over 20 years experience working in the NHS with people with diabetes. He is a co-creator of Carbs & Cals (www.carbsandcals.com) and is widely published in academic journals on diabetes and weight management. Chris lectures at national conferences and regularly appears in the media as a respected nutrition specialist.



Contents

Introduction	4
The Eatwell Guide	6
African Cuisine	8
Meals.....	10
Sides.....	13
Drinks.....	15
Individual Foods.....	16
Caribbean Cuisine	18
Meals.....	20
Sides & Snacks.....	22
Desserts.....	24
Drinks.....	25
Milks.....	26
Individual Foods.....	27
South Asian Cuisine	30
Meals (v).....	32
Meals.....	33
Sides & Snacks.....	34
Desserts.....	36
Drinks.....	37
Individual Foods.....	38
Common Foods for All Cuisines ...	40
Swaps.....	40
Individual Foods.....	41



Introduction

This guidebook has been designed for coaches delivering the Healthier You NHS Diabetes Prevention Programme. Our ambition is that this guidebook will support coaches in providing tailored advice to participants on the programme from black and South Asian backgrounds who are more at risk of type 2 diabetes.

The content has been shaped by a 2019 insight project which gathered feedback from black Caribbean, black African and South Asian participants on the programme, as well as those at risk of type 2 diabetes within the same communities.

The insight showed that increased knowledge and confidence among Healthier You coaches around cultural foods - especially in offering realistic healthier alternatives - could support and encourage uptake and retention on the programme by people from black and South Asian backgrounds.

An additional handbook summarising the insight project and providing guidance on how best to communicate and engage with black and South Asian communities is available [here](#).



Empowering Healthy Food Choices

The advice in this booklet provides an easy-to-use visual guide and helps you to suggest healthier choices to people from African, Caribbean and South Asian communities.

Education about the range of foods will enable you and the people you are coaching from the different communities to improve their knowledge and better manage their overall health.

The toolkit is based on the [Carbs & Cals World Foods book](http://www.carbsandcals.com) (www.carbsandcals.com), and consists of a selection of popular food and drink items from African, Caribbean and South Asian cuisines.

This resource is primarily aimed at Healthier You coaches but may also help healthcare professionals working with people at risk of developing type 2 diabetes, to help them implement healthier cooking practices, understand portion sizes and lose weight where necessary.

The content was commissioned by NHS England and NHS Diabetes Programme, and developed by two healthcare professionals, Dr Joan St John (GP with Special Interest in Diabetes, and Diabetes UK Clinical Champion) and Salma Mehar (Consultant Dietitian), who are passionate about empowering black, Asian and minority ethnic communities with self-management resources to improve the care and health outcomes for these communities.



A note on exercise:

Food guidance should be given alongside advice on physical activity. Adults should do some type of physical activity every day. Any type of activity is beneficial. The more physical activity, the better. [NHS recommendations](#) are that adults should:

- do at least 150 minutes of moderate intensity activity a week or 75 minutes of vigorous intensity activity a week.
- do strengthening activities that work all the major muscles (legs, hips, back, abdomen, chest, shoulders and arms) on at least 2 days a week.
- reduce time spent sitting or lying down and break up long periods of not moving with some activity.

The Eatwell Guide

The Eatwell Guide shows how much of what we eat overall should come from each food group to achieve a healthy, balanced diet. Read more about the [Eatwell Guide](#) and download the [full graphic](#). The proportions shown are representative of your food consumption over the period of a day or even a week, not necessarily each meal time.

The individual food lists at the end of each section are colour-coded in line with the Eatwell Guide to show where common foods from black African, black Caribbean and South Asian cuisines fit within the five food groups.



Mango

Fruit and vegetables

Eat at least 5 portions of a variety of fruit and veg a day, such as green beans, spinach, butternut squash, callaloo, karela, mango and papaya.



Foods high in fat, salt and sugar

Examples include puri, chin chin, cornmeal pudding, carrot punch, halwa, rasmalai and gulab jamun, as well as ghee, palm oil and coconut oil.



These should be eaten less often and in small amounts.

Beans, pulses, fish, eggs, meat and other proteins

Including goat, stomach, oxtail, kidney beans, dal and chana. Eat more beans and pulses, and 2 portions of sustainably sourced fish per week, one of which is oily. Eat less red and processed meat.

Much of the food people eat is in the form of dishes or meals with more than one kind of food component in them. For example, soups, stews, curries, patties, ackee & saltfish, lassi and raita are all made with ingredients from more than one food group. These are often called 'combination' or 'composite' foods.

To make healthy choices, people will need to identify the main food items or ingredients in combination foods and think about how these fit with the proportions shown in the Eatwell Guide.



Potatoes, bread, rice, pasta and other starchy carbs

Base meals on fufu, banku, gari, plantain, yam, dumplings, chapati, paratha or other starchy carbs. Choose higher fibre wholegrain varieties when possible.



Yam

Chapati



Oils and spreads

Examples include vegetable oil and sunflower oil. Choose unsaturated oils and use in small amounts.

Dairy and alternatives

Such as evaporated milk, soya milk, plain yogurt and paneer. Choose lower fat and lower sugar options.



Paneer

African Cuisine

This section provides an insight into some of the traditional foods from Africa and how they are consumed. It is important to remember that Africa is a continent not a country, and it covers over 30 million km². The cuisine is as varied as the people and so when we speak of 'African foods' in this guide, we are using this as a shorthand for the regions of Africa represented in this guide. Here, we provide a flavour of the foods eaten by people from the west (e.g. Nigeria and Ghana) and eastern areas (e.g. Somalia) of Africa, as these are representative of some of the most populous black African communities living in the UK.

Traditional African Foods

The traditional African diet can be balanced and healthy, and can have a high proportion of carbohydrate foods in the overall calorie intake. Rice, potatoes and tubers such as cassava and yam, as well as starchy vegetables such as plantain, form these carbohydrate-based staples. Meat, poultry and fish are eaten, and fresh fruit provides vitamins and fibre. Food tends to be seasoned with salt and herbs and prepared by frying, stewing or boiling.

Food Groups

Starchy carbohydrates should make up just over a third of the food we eat. We should all try to reduce our intake of free sugars, such as fruit juice, smoothies, honey, syrups, white or brown sugar, and sugar added to food and drink to sweeten it. You do not need to worry about sugar in plain milk, plain yogurt, whole fruit or whole vegetables.

The carbohydrates commonly consumed include rice eaten plain, or with added tomatoes, peppers, onions and spices (e.g. jollof rice), or with spices, seasoning, saffron and raisins (Bariis). Tubers such as cassava or yam are commonly eaten fried or boiled. They can be fermented, pounded and mixed with water to produce amala, banku, fufu or gari that are served with soups or stews throughout West Africa. Additional carbohydrate foods are eaten in the form of snacks (e.g. puff puff and chin chin), so overall the diet can have a relatively high proportion of carbohydrates.

Choose wholegrain or higher fibre versions of starchy carbohydrates where possible. In the eastern areas of Africa, corn (in the form of cornmeal or maize) is one of the main carbohydrate ingredients for foods such as flatbreads or pancakes (e.g. anjero and muufo) or alternatively made into soor, which is eaten with stews. Plantain, sweet potato and spaghetti are other important carbohydrate staples.



Protein in the diet tends to be in the form of meat, poultry and fish, as well as a lesser contribution overall from lentils and nuts. Soups or stews often contain meat or fish, or the protein source may be served individually. Fish may be preserved with salt, which contributes to the salt intake in the diet. Salt is also added in the seasoning of food and with the consumption of meals. High salt has been linked to high blood pressure.

Traditional fruits and vegetables consumed include banana, mango, papaya and pineapple, as well as greens, spinach and green beans.

Fried snacks and drinks with added sugar traditionally form an important part of the diet and need to be considered, as these can add a significant contribution to the overall calorie intake. Fried snacks include sambuus, chin chin and puff puff.



Cooking Practices

Meals such as stews, soups and main dishes tend to be fried in oil such as vegetable or palm oil. Additionally, tomatoes, onions and peppers commonly form the base ingredients for sauces. Herbs, salt and sometimes prepared seasonings or stock cubes (that can contain added salt) are used to add flavouring. Rice or a starchy accompaniment (as well as vegetables) are added to the meal if these are not already included in the main part of the meal (e.g. soup or stew).

Summary

African diets can be healthy and balanced. Salt, sugar and fat used in food preparation (or flavourings added during and after cooking) can add to the overall calorie, fat and salt intake. This may have implications for health conditions (including diabetes and hypertension) that these communities disproportionately suffer from.

Use less fat when cooking and choose lower fat options when shopping. Go for unsaturated fats (e.g. vegetable or rapeseed oil) rather than a saturated fat (e.g. palm or coconut oil) when cooking. Reducing salt by choosing low salt stock cubes and reducing added sugar can also help make traditional foods healthier.

Fat, salt and sugar may already be present in many foods and it's important to be aware of this and choose lower fat, salt and sugar options when shopping for food and drinks.



Roast Chicken

with jollof rice, grilled plantain, boiled green beans & spinach

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Roast plantain, then grill to finish.
- A little hot oil stirred into rice at the end gives an authentic appearance.
- Roast chicken, allowing oil to drain.



Pepper Goat Soup

with gari, boiled green beans & spinach

- Roast and grill goat meat.
- Don't add the skimmed fat back into dish.
- Adding more vegetables will help to increase fibre.
- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Measure and limit salt.



Spinach Stew

with gari, moi moi & boiled green beans

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Cover half the plate with green veg or salad.



Grilled Fish

*with waakye, grilled plantain
& boiled green beans*

- Roast or grill the fish and plantain to use less oil.
- Use less salt. Adults should be consuming no more than 6g salt per day. This includes the salt we add to foods, and salt already in the foods we buy.



Grilled Salmon

with spaghetti & salad

- Grill fish (not fry) to use less oil.
- Use less salt. Adults should be consuming no more than 6g salt per day. This includes the salt we add to foods, and salt already in the foods we buy.
- Cover half the plate with green veg or salad.



Egusi Soup

with fufu, boiled green beans & spinach

- Reduce and measure oil.
- Cover half the plate with green veg or salad.
- Add more vegetables to contribute towards your 5-a-day.



Peppered Eggs

with boiled yam

- Boil yam (rather than fry) to reduce fat content.
- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).



Fish Stew

with boiled yam, green beans & spinach

- Roast or grill fish (rather than fry) to reduce fat content.
- Add lots of veg and boil yam (instead of fried).



Chicken Stew

with jollof rice, fried plantain & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Roast plantain, then grill to finish.
- A little hot oil stirred into rice at end gives an authentic appearance.
- Roast chicken, allowing oil to drain.

Yam (fried)

185
CAL



75g

SWAP
FRIED TO
BOILED >

SAVE
105
CAL

Yam (boiled)

80
CAL



60g

Jollof Rice

135
CAL



100g

SWAP TO
HEALTHIER >
RECIPE

SAVE
20
CAL

Jollof Rice

(using less oil & butter)

115
CAL



100g

Yam (fried)

185
CAL



75g

SWAP TO >

SAVE
65
CAL

Cassava Fries (baked)

120
CAL



45g

Gari / Eba

475
CAL



400g

SWAP TO
SMALLER
PORTION >
SIZE

SAVE
295
CAL

Gari / Eba


180
CAL



150g

Fufu

500
CAL




375g

SWAP TO
SMALLER
PORTION >
SIZE

SAVE
325
CAL

Fufu

175
CAL



130g

Puff Puff

665
CAL



210g

SWAP TO
SMALLER
PORTION >
SIZE

SAVE
445
CAL

Puff Puff

220
CAL



70g

Mirinda

155
CAL



330ml

SWAP TO >

SAVE
150
CAL

Diet Lemonade

5
CAL



330ml

Cola

135
CAL



330ml

SWAP TO >

SAVE
130
CAL

Diet Cola

5
CAL



330ml

Zobo Drink

125
CAL



250ml

SWAP TO >

SAVE
120
CAL

Squash (sugar free)

5
CAL



250ml

VEG / FRUIT



Banana



Green Beans



Greens



Mango



Papaya



Pineapple



Salad



Spinach

CARBS



Amala



Anjero




Bariis



Banku



Coconut Rice



Fufu



Gari



Jollof Rice



Muufo



Pap



Plantain



Pounded Yam



Sabaayad



Soor



Spaghetti



Yam

PROTEIN



Chicken



Fish



Salmon



Stomach

HIGH IN FAT, SALT OR SUGAR



Chin Chin



Puff Puff



Palm Oil

COMPOSITE



Beef Stew



Cambuulo / Ambulo



Chicken Stew



Egusi Soup



Fish Stew



Moi Moi



Peanut Soup



Pepper Goat Soup



Peppered Eggs



Spinach Stew



Waakye

Caribbean Cuisine

This section provides an insight into some of the traditional foods of Caribbean communities living in the UK, and how the foods are consumed. The Caribbean is comprised of over 20 island nations with a shared history but diverse cultures and traditions, which is reflected in the similar but differing cuisines. We are highlighting a sample of the traditional Caribbean foods.

Traditional Caribbean Foods

The traditional Caribbean diet can be healthy and balanced, and can have a high proportion of carbohydrate foods in the overall calorie intake. Rice and starchy carbohydrates such as yam, sweet potato, plantain and green banana form important carbohydrate staples. Meat, poultry and fish are eaten (with the exception of some religious observances - for example Rastafarians do not eat meat). Fresh vegetables such as callaloo, spinach, okra and avocado as well as fruit provide minerals, vitamins and fibre. Food tends to be seasoned with salt and herbs and prepared by frying, stewing or boiling.

Food Groups


Starchy carbohydrates should make up just over a third of the food we eat. We should all try to reduce our intake of free sugars, such as fruit juice, smoothies, honey, syrups, white or brown sugar, and sugar added to food and drink to sweeten it. You do not need to worry about sugar in plain milk, plain yogurt, whole fruit or whole vegetables.

The carbohydrates commonly consumed include rice eaten plain, or with added beans (e.g. kidney beans or black eyed peas) to form 'rice & peas'. Other starchy foods include tubers such as yam and sweet potatoes, plantain, green banana or pumpkin. These may either be boiled, fried or roasted. The term 'hard food' is sometimes used to denote foods like yam, plantain, green banana and sometimes boiled dumplings eaten together. Traditionally more than one source of starchy carbohydrate is served in the same meal, so rice, yam and plantain may be served together with a protein source of fish, poultry or meat, along with salad or green vegetables (such as spinach or callaloo).

Other carbohydrates consumed throughout Caribbean populations in the UK include breads, cereals, pasta (such as macaroni cheese) and flour used in pastry such as in patties, desserts, or dumplings (which can be fried or boiled). Additional carbohydrate foods are eaten in the form of snacks, so overall the diet can have a relatively high proportion of carbohydrates.

Protein in the diet tends to be as meat, poultry or fish. Depending on the cultural or religious practices, pulses such as lentils will make up a significant contribution to the protein in the diet. Salt, herbs and other seasonings (which may be pre-prepared) are added to the food to marinate it before cooking.

Soups containing meat or fish, with vegetables and pulses (kidney beans or gunga peas) can be healthy and balanced, and may be eaten on a weekly basis in the traditional diet.



Salted fish is used in many island communities for main dishes or snacks (such as fishcakes) and the added salt contributes to the salt intake in the diet. A particularly high salt intake may occur if salt and seasonings are used as marinades for the food before cooking, and then also added with consumption of meals. High salt has been linked to high blood pressure. Ensuring that the recommended amount of 6g of salt per day is not exceeded could be achieved by choosing low salt options when possible, and being aware of the amount of salt used in seasoning or added to food after cooking.

Dairy foods can traditionally include condensed or evaporated milk, which can have added sugar. These are used in tea or coffee, added to porridge and desserts, or used to make drinks like Guinness punch. Lower fat and reduced sugar options are recommended. Vegetables consumed include callaloo, spinach, cho cho, okra and cabbage; and fruits include guava, soursop, mango, custard apple, papaya and pineapple.

Fried snacks and drinks with added sugar traditionally form a significant part of the diet and need to be considered, as these can add a significant contribution to the overall calorie intake. Fried snacks include fried dumplings and fishcakes. Choose sugar free / no added sugar drinks, and use unsaturated oils.

Cooking Practices

Meat, fish and poultry tend to be fried in oil to brown before either being served, or added to a variety of ingredients such as onions, garlic or pepper to make a sauce.

Vegetable or coconut oil may be used to fry dishes. The sauces usually include herbs as well as tomatoes, prepared seasonings or stock cubes (that can contain added salt), and are used to add flavour and colour to the dish.

Rice and/or another starchy accompaniment are added to the meal, as well as vegetables and sometimes salad.

Summary

Traditional Caribbean diets can be healthy and balanced, with an extensive source of fresh fruit and vegetables providing vitamins, minerals and fibre. Salt, sugar and fat used in the preparation, seasoning and flavouring of food add to the overall calorie, fat, sugar and salt intake. This may have implications for health conditions (including diabetes and hypertension), which these communities disproportionately suffer from.

Use less fat when cooking and choose lower fat options when shopping. Go for unsaturated fats (e.g. vegetable or rapeseed oil) rather than a saturated fat (e.g. coconut oil) when cooking. Reducing salt by choosing low salt stock cubes and reducing added sugar can also help make traditional foods healthier.

Fat, salt and sugar may already be present in many foods and it's important to be aware of this and choose lower fat, salt and sugar options when shopping for food and drinks.





Red Pea Soup

- Add more red peas.
- Add more soup liquid.



Steamed Fish

with baked plantain, boiled butternut squash, green beans & spinach

- Steam fish and reduce oil.
- Bake plantain and grill to crisp it.
- Limit salt, using other herbs and spices instead.
- Cover half the plate with plenty of vegetables.



Jerk Chicken

with baked plantain, rice & peas, boiled runner beans, green beans & spinach

- Use more peas (to add more fibre).
- Reduce amount of added coconut.
- Bake plantain and grill to crisp it.
- Cover half the plate with plenty of vegetables.



Ackee & Saltfish

with baked plantain, avocado & tomato

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Add tomato and avocado to contribute towards your 5-a-day.
- To reduce fat, carbs and calories, try without dumplings.



Sweet Potato Curry

with baked plantain, rice & peas, okra, boiled runner beans & green beans

- Use more peas (to add more fibre).
- Reduce amount of added coconut.
- Bake plantain and grill to crisp it.
- Cover half the plate with plenty of vegetables.



Curried Goat

with baked plantain, rice & peas, okra, boiled runner beans & green beans

- Use more peas (to add more fibre).
- Reduce amount of added coconut.
- Bake plantain and grill to crisp it.
- Cover half the plate with plenty of vegetables.

Chicken Patty

365
CAL



130g

SWAP TO >

SAVE
185
CAL

Chicken Wings (baked)

180
CAL



150g

Plantain (fried)

320
CAL



120g

SWAP
FRIED TO
BAKED >

SAVE
120
CAL

Plantain (baked)

200
CAL



100g

Roti

570
CAL



200g (whole)

SWAP TO
SMALLER
PORTION >
SIZE

SAVE
285
CAL

Roti

285
CAL



100g (half)

Cornmeal Porridge

605
CAL



450g

SWAP TO
HEALTHIER >
RECIPE

SAVE
310
CAL

Cornmeal Porridge

(using semi-skimmed milk, light
coconut milk, light evaporated milk
and stevia sweetener)

295
CAL



300g

Dumplings (fried)

570
CAL




230g

SWAP TO >

SAVE
390
CAL

Hard Dough Bread

180
CAL



70g

Plantain (fried)

160
CAL



60g

SWAP
FRIED TO
BOILED >

SAVE
65
CAL

Plantain (boiled)

95
CAL



85g

Apple Crumble

440
CAL



220g

SWAP TO
SMALLER
PORTION
SIZE >

SAVE
200
CAL

Apple Crumble

240
CAL



120g

Cornmeal Pudding

275
CAL



100g

SWAP TO
HEALTHIER
RECIPE >

SAVE
90
CAL

Cornmeal Pudding

(using light coconut milk
and stevia sweetener)

185
CAL



100g

Carrot Cake

600
CAL



160g

SWAP TO >

SAVE
475
CAL

Fruit

125
CAL



250g

Nurishment

395
CAL



400ml

SWAP TO >

SAVE
105
CAL

Nurishment & Milk

(½ tin Nurishment and 200ml semi-skimmed milk)



+



290
CAL

400ml

Guinness Punch

165
CAL



200ml

SWAP TO
HEALTHIER >
RECIPE

SAVE
60
CAL

Guinness Punch

(using less condensed milk and light evaporated milk)



200ml

105
CAL

Supermalt

210
CAL



330ml

SWAP TO >

SAVE
60
CAL

Supermalt Less Sugar

150
CAL



330ml

Coconut Milk

255
CAL



150ml

SWAP TO >

SAVE
135
CAL

Coconut Milk (light)

120
CAL



150ml

Condensed Milk

465
CAL



150ml

SWAP TO >

SAVE
305
CAL

Condensed Milk (light)

160
CAL



150ml

Evaporated Milk

250
CAL



150ml

SWAP TO >

SAVE
90
CAL


Evaporated Milk (light)

160
CAL



150ml

VEG / FRUIT



Avocado



Banana



Butternut Squash



Cabbage



Carrots



Callaloo



Custard Apple



Green Beans



Kiwi



Mango



Okra



Pumpkin



Runner Beans



Salad



Spinach



Tomato

PROTEIN



Chicken Wings



Fish




Jerk Chicken



Kidney Beans

CARBS



Breadfruit



Bulla Cake



Cornmeal Slice



Dumplings (boiled)



Green Banana



Hard Dough Bread



Porridge



Plantain



Rice



Roti / Dhalpuri



Sweet Potato



Yam

HIGH IN FAT, SALT OR SUGAR



Apple Crumble



Beef Patty



Carrot Cake



Cassava Crisps



Chicken Roti



Coconut Oil



Coconut Tart



Cornmeal Pudding



Creamed Coconut



Dumplings (fried)



Hot Pepper Sauce



Ritz Crackers

HIGH IN FAT, SALT OR SUGAR



Carrot Punch



Cocoa Tea



Condensed Milk



Ginger Beer



Guinness Punch



Nurishment



Sorrel



Supermalt

COMPOSITE



Ackee & Saltfish



Coleslaw



Cornmeal Porridge



Curried Goat



Macaroni Cheese



Omelette



Oxtail & Butter Beans



Red Pea Soup



Rice & Peas



Saltfish Fishcake



Split Pea Soup



Stewed Chicken

South Asian Cuisine

The section provides an insight into the dietary habits of South Asian communities including Indians, Punjabis, Pakistanis, Nepalis, Tamils and Bangladeshis living in the UK.

Traditional South Asian Foods

The traditional South Asian diet can be healthy and balanced, and can have a high proportion of carbohydrate foods in the overall calorie intake. It is high in lentils, pulses, vegetables and meats, providing a range of vitamins, minerals, fibre and protein. Meals tend to have a high amount of salt, fat and sugar added during cooking, which can increase the overall calories.

Food Groups

Starchy carbohydrates should make up just over a third of the food we eat. We should all try to reduce our intake of free sugars, such as fruit juice, smoothies, honey, syrups, white or brown sugar, and sugar added to food and drink to sweeten it. You do not need to worry about sugar in plain milk, plain yogurt, whole fruit or whole vegetables.

Commonly eaten starchy carbohydrates include basmati rice and flatbreads including chapatis, naan breads, puris and parathas. Potatoes are added into vegetables, meat or rice dishes. These foods form the main source of energy at each mealtime. Choose wholegrain or higher fibre versions of starchy carbohydrates where possible, for example using wholemeal flour to make chapatis.

Protein foods include lentils, chickpeas and seeds for vegetarians, and meat, chicken and fish are commonly prepared in curries for non-vegetarian diets. Dairy foods (such as paneer and yogurt) also provide protein. Choose lower sugar and lower fat options where possible.

The South Asian diet consists of plenty of fresh vegetables and salads, including cauliflower, okra, spinach and green beans. Common fruits include banana, grapes, melon, mango, papaya and pineapple.

Traditionally consumed snacks include Bombay mix, ghatia, sev, chevda, fried cereals with added dried fruits, and nuts coated with salt, sugar and spices. These snack foods can often be high in fat, salt or sugar. Common deep fried snacks include samosas, bhajis and potato snacks, which are deep fried in a pan called a kadai / karahi.



Desserts have become more common than just at special occasions, and find their way into daily meals. Popular desserts include kheer, halwa (gajrela), rasmalai, mithai, gulab jamun and jalebi. Many of the sweets are made with gram flour, semolina and jaggery (a type of sugar).



Tea (also known as Indian tea, cha or chai) is commonly consumed in the South Asian community. It has a high proportion of milk to water, with spices (such as cardamom and cinnamon) and sugar added. Rosewater and mango syrup are also added to water or milk as a refreshing drink called lassi.

Drinks and desserts can be high in fat, sugar and salt, so choose lower fat options and sugar free / no added sugar drinks.



Cooking Practices

South Asian meals are generally prepared as curries, accompanied with a type of flatbread or boiled rice. Plenty of herbs and spices including curry spice, coriander, chilli, garlic and ginger are used in cooking. Oils and salt are added to curries, rice and flatbreads as well as snacks.

Summary

South Asian diets can be balanced and provide essential minerals, vitamins, fibre and protein. A variety of spices and herbs are added to enhance flavour. Meals can be prepared using less fat in cooking and less salt. Vegetables are included at each meal either in cooking or as side salads. Snacks include fruits, nuts, seeds and fried snacks. Traditional desserts are made at home on a regular basis, as well as on special occasions.

Adapting cooking techniques to use less fat, sugar and salt, adding more vegetables and fruit, and choosing wholegrain or higher fibre versions of starchy carbohydrates where possible, can help to ensure this diet meets the healthy eating guidelines and reduce the total calorie intake, without affecting taste.

Use less fat when cooking and choose lower fat options when shopping. It is recommended to switch from ghee and coconut oil to vegetable or sunflower oil, using less oil for frying and in the base of curries. Instead of curry pastes (which will have added salt and fat), use curry powder and powdered spices with fresh garlic and ginger. Reducing salt by choosing low salt stock cubes and reducing added sugar can also help make traditional foods healthier.

Fat, salt and sugar may already be present in many foods and it's important to be aware of this and choose lower fat, salt and sugar options when shopping for food and drinks.



Paneer

with 1 chapati, raita & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Swap chapati flour to brown flour (and don't use fat).
- Add plenty of salad and raita made with lower fat yogurt.



Dal

with 1 chapati, rice, raita & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Swap chapati flour to brown flour (and don't use fat).
- Use low fat yogurt and add side salad.
- Try brown rice to increase fibre.



Chana

with 1 chapati, okra, raita & salad

- Use low fat yogurt and add side salad.
- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Make chapatis with wholemeal flour for more fibre.



Meat Curry

with 1 chapati, raita & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Use curry powder instead of curry paste.
- Swap chapati flour to brown flour (and don't use fat).
- Add plenty of vegetables to raita.



Chicken Curry

with rice, raita & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Use curry powder instead of curry paste.
- Add side salad and plenty of veg.
- Use low fat yogurt.



Fish Curry

with rice, raita & salad

- Use less oil for cooking and choose unsaturated oil (e.g. vegetable oil).
- Use curry powder instead of curry paste.
- Add side salad.
- Try brown rice to increase fibre.

Veg Samosa (fried)

285
CAL




80g

SWAP
FRIED TO
BAKED >

SAVE
135
CAL

Veg Samosa (baked)

150
CAL



70g

Chicken Kebabs (fried)

140
CAL



90g

SWAP
FRIED TO
BAKED >

SAVE
60
CAL

Chicken Kebabs (baked)

80
CAL



80g

Pakora

270
CAL



105g

SWAP TO >

SAVE
185
CAL

Dhokla

85
CAL



35g

Namak Para

230
CAL



40g

SWAP TO >

SAVE
55
CAL

Nuts (plain)

175
CAL



30g

Bombay Mix

200
CAL



40g

SWAP TO >

SAVE
105
CAL

Chana (dry roasted)

95
CAL



30g

Ghatia

165
CAL



30g

SWAP TO >

SAVE
70
CAL

Popcorn

95
CAL



20g

Halwa

515
CAL



150g

**SWAP TO
HEALTHIER >
RECIPE**

SAVE
260
CAL

Halwa

(using semi-skimmed milk,
and less sugar and ghee)

255
CAL



100g

Kheer

300
CAL



200g

SWAP TO >

SAVE
180
CAL

Fruit Salad

120
CAL



200g

Gulab Jamun

690
CAL



225g

SWAP TO >

SAVE
465
CAL

Rasmalai

225
CAL



150g

Rubicon Guava

110
CAL



500ml

SWAP TO >

SAVE
105
CAL

Squash (sugar free)

5
CAL



250ml

Mango Lassi (sweet)

325
CAL



500ml

SWAP TO >

SAVE
95
CAL

Plain Lassi

230
CAL



500ml

Cola

135
CAL



330ml

SWAP TO >

SAVE
130
CAL

Diet Cola

5
CAL



330ml

VEG / FRUIT



Banana



Cauliflower



Grapes



Green Beans



Mango



Melon



Okra



Onion & Tomato



Papaya



Pineapple



Salad



Spinach

CARBS



Chapati



Dhokla



Paratha



Rice

PROTEIN



Chana



Chicken Kebab



Fish



Nuts (plain)

HIGH IN FAT, SALT OR SUGAR



Bombay Mix



Cola



Ghatia



Gulab Jamun



Halwa



Kheer



Mango Lassi



Namak Para



Pakora



Rasmalai



Rubicon Guava



Veg Samosa

COMPOSITE



Chicken Curry



Dal



Fish Curry



Meat Curry



Omelette



Paneer Tikka Masala



Raita



Veg Curry

White Bread

175
CAL




80g

SWAP TO
SMALLER
PORTION
SIZE >

SAVE
90
CAL

Wholemeal Bread

85
CAL



40g

Chips (deep fried)

820
CAL




300g

SWAP TO
SMALLER
PORTION
SIZE >

SAVE
545
CAL

Chips (deep fried)

275
CAL



100g

White Rice

510
CAL



355g

SWAP TO
SMALLER
PORTION
SIZE >

SAVE
305
CAL

Brown Rice

205
CAL



155g

VEG / FRUIT



Banana



Butternut Squash



Dates



Fresh Fruit Salad



Grapes



Mango



Pineapple



Sweetcorn


CARBS



Bulgur Wheat



Chips



Egg Noodles



Pitta Bread



Popcorn (plain)



Porridge



Potatoes



Quinoa

CARBS



Rice (white)




Rice (brown)



Rice (long grain)



Rice Noodles



Spaghetti
(white)



Spaghetti
(whole wheat)



White Bread



Wholemeal Bread

HIGH IN FAT, SALT OR SUGAR



Apple Crumble



Cake



Cola



Crisps



Digestive Biscuits



French Fries



Ice Cream



Pretzels

Carbs & Cals

Award-winning diabetes resources for African, Arabic, Caribbean & South Asian communities




Quality in Care 2019
WINNER of Diabetes
Collaboration of the Year



The Association of UK Dietitians
WINNER of the 2019
Elizabeth Washington Award

- ✓ 94% of Healthcare Professionals say the World Foods book **boosts engagement** in patient consultations.
- ✓ **Highly effective** and **accessible** resource for patients to use at home.




Books



Flashcards



App



Posters

www.carbsandcals.com

The **World Foods** and **Carb & Calorie Counter** books are supported by **Diabetes UK**

HEALTHIER YOU

NHS DIABETES PREVENTION PROGRAMME

To view this online or download other Healthier You resources, visit the [Healthier You](#) pages on the PHE Campaign Resource Centre.

Produced in partnership with

