



Chaperone Policy

September 2020



Version Control

A Confidentiality Notice

This document and the information contained therein is the property of Primary Care Knowsley.

This document contains information that is privileged, confidential or otherwise protected from disclosure. It must not be used by, or its contents reproduced or otherwise copied or disclosed without the prior consent in writing from Primary Care Knowsley.

B Document Details

Title	Chaperone Policy
Classification	For all clinical and non-clinical staff
Author and Role	Erika Howell Director of Governance
Organisation	Primary Care Knowsley. Bluebell Lane Medical Practice Cornerways Medical Centre Dr Maassarani and Partners Roseheath Surgery Aston Healthcare
Document Number	1
Current Version Number	2
Date last reviewed	September 2020
Authorised by	Dr Faisal Maassarani
Date of next review	September 2021
Document available on Practice Intranet	Yes

Table of Contents

Introduction	4
Guidelines	4
Who Can Act as a Chaperone?	5
Confidentiality.....	5
Procedure.....	5

Introduction

This policy is designed to protect both patients and staff from abuse or allegations of abuse and to assist patients to make an informed choice about their examinations and consultations.

Also see Chaperone Guidelines for

Guidelines

Clinicians (male and female) should consider whether an intimate or personal examination of the patient (either male or female) is justified, or whether the nature of the consultation poses a risk of misunderstanding.

- The clinician should give the patient a clear explanation of what the examination will involve.
- Always adopt a professional and considerate manner - be careful with humour as a way of relaxing a nervous situation as it can easily be misinterpreted.
- Always ensure that the patient is provided with adequate privacy to undress and dress.
- Ensure that a suitable sign is clearly on display in each consulting or treatment room offering the chaperone service if required.

This should remove the potential for misunderstanding. However, there will still be times when either the clinician, or the patient, feels uncomfortable, and it would be appropriate to consider using a chaperone. Patients who request a chaperone should never be examined without a chaperone being present. If necessary, where a chaperone is not available, the consultation/examination should be rearranged for a mutually convenient time when a chaperone can be present.

Complaints and claims have not been limited to male doctors with female patients - there are many examples of alleged homosexual assault by female and male doctors. Consideration should also be given to the possibility of a malicious accusation by a patient

There may be rare occasions when a chaperone is needed for a home visit. The following procedure should still be followed.

Who Can Act as a Chaperone?

A variety of people can act as a chaperone in the practice. Where possible, it is strongly recommended that chaperones should be clinical staff familiar with procedural aspects of personal examination. Where suitable clinical staff members are not available, the examination should be deferred.

Where the practice determines that non-clinical staff will act in this capacity, the patient must agree to the presence of a non-clinician in the examination, and be at ease with this. The staff member should be trained in the procedural aspects of personal examinations, comfortable in acting in the role of chaperone, and be confident in the scope and extent of their role. They will have received instruction on where to stand and what to watch and instructions to that effect will be laid down in writing by the practice.

Confidentiality

- The chaperone should only be present for the examination itself, and most discussion with the patient should take place while the chaperone is not present.
- Patients should be reassured that all practice staff understand their responsibility not to divulge confidential information.

Click here to link to the latest GMC guidelines for intimate examinations:

http://www.gmc-uk.org/guidance/ethical_guidance/21170.asp

Procedure

- The clinician will contact reception to request a chaperone.
- Where no chaperone is available, a clinician may offer to delay the examination to a date when one will be available, as long as the delay would not have an adverse effect on the patient's health.
- If a clinician wishes to conduct an examination with a chaperone present but the patient does not agree to this, the clinician must clearly explain why they want a chaperone to be present. The clinician may choose to consider referring the patient to a colleague who would be willing to examine them without a chaperone, as long as the delay would not have an adverse effect on the patient's health.
- The clinician will record in the notes that the chaperone is present, and identify the chaperone.

- The chaperone will enter the room discreetly and remain in the room until the clinician has finished the examination.
- The chaperone will normally attend inside the curtain at the head of the examination couch and watch the procedure.
- To prevent embarrassment, the chaperone should not enter into conversation with the patient or GP unless requested to do so, or make any mention of the consultation afterwards.
- **The chaperone will make a record in the patient's notes after examination.**
The record will state that there were no problems, or give details of any concerns or incidents that occurred.
- The patient can refuse a chaperone, and if so this **must** be recorded in the patient's medical record.

